








Adjusting handle





Leveling base

Cost-effective reasons for use:

- Efficient pallet production by a single operator.
- Ergonomically height.
- Adjustable nailing position at approximately 45 degrees.
- Versatile adjustment for all types of pallets, saving on the cost of additional templates.

Features Expert

Min. pallet sizes 540 x 650 mm

Max. pallet sizes 1350 x 1600 mm

Infinitely adjustable template

For both block and stringer pallets

Finished pallets are ejected pneumatically

Air buffer in frame



Control handles



Pallet in Expert

Options Expert

- Clinching plates in 2 sizes and adjustable heights
- Rail for balancers
- Spiral tubes
- Balancers for tackers
- Profile for fourth stringer
- Extra block row for pallets with 12 or 15 blocks
- Extra large Expert XL Template for pallets up to 3.4 m.
- Transport frame



Rail



Pressure control

Operating system / Technical features

Air supply: 8 bar

Air consumption: 300 liter/stroke (in&out)

Max pallet sizes: 1350 x 1600 mm

Weight: 600 kg

Frame and iron: Pulver coated Ral 5015



Spring balancer



Clinching plates

Options Expert



Clinching plates 200mm or 250mm



Expert XL Template



Rail



Transport frame



Spiral tube



Fourth Stringer profile



Balancer



Block row

Improve your pallet production with the Expert!

Contact us today and find out how we can help you.

Call: +31 (0) 341-550038 or visit cekamonsaws.com





